JELD-WEN

MOLDED COLLECTION
INTERIOR WOOD COMPOSITE DOORS

Architectural Design Manual

November 2026




TABLE OF CONTENTS


PRODUCT INFORMATION

CONSTRUCTION DETAILS ----------3
STICKING PROFILE DETAILS ----------4


ELEVATION, SECTION AND SIZING DETAILS




Page:	5
Model:	Birkdale™




Page:	7
Model:	Caiman®




Page:	9
Model:	Camden®




Page:	11
Model:	Carrara®




Page:	13
Model:	Colonist® Smooth




Page:	15
Model:	Colonist® Commercial




Page:	16
Model:	Colonist® Textured




Page:	18
Model:	Conmore®




Page:	22
Model:	Craftsman III™




Page:	24
Model:	Madison®



Page:	26
Model:	Monroe®




Page:	28
Model:	Rockport™




Page:	32
Model:	Santa Fe™

CONSTRUCTION DETAILS


ProCore THE QUIET DOOR



Solid Particle Board Core
Wood/MDF or All-Wood Frame




Solid Mineral Core
All-Wood Frame



Corrugated Core
Wood/MDF or All-Wood Frame

Hollow Core Corrugated Core Construction
May Vary By Production Facility

Optional Hardware Bore Details




Dimension Table	
A	B
80"	44"
84"	48"
96"	60"

Not To Scale
Reference Only


Bore available by request. Standard routing shown. Custom routing available.

Wood Composite Interior Door Width Options




STICKING PROFILE DETAILS

1 3/8" Panel Thickness





1 3/4" Panel Thickness




All Molded Collection Wood Composite Doors are available in 1 3/8" and 1 3/4" panel thickness options.

BIRKDALE™ 3 PANEL SMOOTH - 6/8 & 8/0





Lock Block Detail





Section A-A
Craftsman Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6"	3"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

BIRKDALE™ 6 PANEL SMOOTH BIFOLD - 6/8 & 8/0







Section A-A
Craftsman Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	5 1/4"	7 1/2"	4 5/16"
2/4	27 13/16"	4 1/4"	7 1/2"	4 5/16"
2/2	25 13/16"	3 1/4"	7 1/2"	4 5/16"
2/0	23 13/16"	4 1/4"	6"	3 5/16"
1/10	21 13/16"	3 1/4"	6"	3 5/16"


CAIMAN® SMOOTH - ADA 6/8, 6/8 & 8/0






Section A-A
INP Sticking

ADA option only available in 3/0 and 2/10 door widths. A minimum door clear width opening of 32" is required for ADA compliance.



8/0 Lock Block Detail





6/8 Lock Block Detail

Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	23 3/4"	6 1/8"	3"
3/0	36"	23 3/4"	6 1/8"	3"
ADA 2/10	34"	23 3/4"	5 1/8"	3"
2/10	34"	21 3/4"	6 1/8"	3"
2/8	32"	21 3/4"	5 1/8"	3"
2/6	30"	19 3/4"	5 1/8"	3"
2/4	28"	17 3/4"	5 1/8"	3"
2/2	26"	15 3/4"	5 1/8"	3"
2/0	24"	15 3/4"	4 1/8"	3"
1/10	22"	15 3/4"	3 1/8"	2 1/8"
1/8	20"	12"	4"	3"
1/6	18"	12"	3"	1 5/8"
1/4**	16"	9 1/8"	3 7/16"	2 1/8"
1/3**	15"	9 1/8"	2 15/16"	1"
1/2**	14"	9 1/8"	2 7/16"	1 3/8"
1/0**	12"	9 1/8"	1 7/16"	N/A

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
* Quantity, size, and location of lock blocks may vary by model and customer order. Solid core doors do not have separate lock blocks.
** Size only available in 6/8 door heights.

CAIMAN® SMOOTH BIFOLD - 6/8 & 8/0







Section A-A
INP Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 7/16"	9 1/16"	4 13/16"
2/10	33 13/16"	5 7/16"	9 1/16"	4 13/16"
2/8	31 13/16"	4 7/16"	9 1/16"	4 13/16"
2/6	29 13/16"	3 7/16"	9 1/16"	4 13/16"
2/4	27 13/16"	2 7/16"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"

CAMDEN® TEXTURED - 6/8





Lock Block Detail





Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25"	5 1/2"	3"
2/10	34"	22 13/16"	5 9/16"	3"
2/8	32"	22 13/16"	4 9/16"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	18 1/8"	4 15/16"	3"
2/2	26"	14 15/16"	5 1/2"	3"
2/0	24"	14 15/16"	4 1/2"	3"
1/10	22"	14 15/16"	3 1/2"	2 1/8"
1/8	20"	9 1/2"	5 1/4"	3"
1/6	18"	9 1/2"	4 1/4"	3"
1/4	16"	7 1/2"	4 1/4"	3"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

CAMDEN® TEXTURED BIFOLD - 6/8







Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6"	9 1/2"	4 13/16"
2/10	33 13/16"	5"	9 1/2"	4 13/16"
2/8	31 13/16"	4 9/16"	9 1/2"	3 11/16"
2/6	29 13/16"	5 1/8"	7 1/2"	4 9/16"
2/4	27 13/16"	4 1/8"	7 1/2"	4 9/16"
2/2	25 13/16"	3 1/8"	7 1/2"	4 9/16"
2/0	23 13/16"	3 7/16"	6 11/16"	3 5/8"
1/10	21 13/16"	2 7/16"	6 11/16"	3 5/8"


CARRARA® SMOOTH - ADA 6/8, 6/8, 7/0 & 8/0






Section A-A
INP Sticking

ADA option only available in 3/0 and 2/10 door widths. A minimum door clear width opening of 32" is required for ADA compliance.



8/0 Lock Block Detail




6/8 & 7/0 Lock Block Detail


All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	23 11/16"	6 1/8"	3"
2/10	34"	21 11/16"	6 1/8"	3"
2/8	32"	21 11/16"	5 1/8"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	17 11/16"	5 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	3"
1/8	20"	11 15/16"	4"	3"
1/6	18"	11 15/16"	3"	1 5/8"
1/4	16"	7 1/16"	4 7/16"	3"
1/3	15"	7 1/16"	3 15/16"	3"
1/2	14"	7 1/16"	3 7/16"	2 1/8"
1/0	12"	7 1/16"	2 7/16"	1 3/8"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	23 11/16"	6 1/8"	3"
3/0	36"	23 11/16"	6 1/8"	3"
ADA 2/10	34"	23 11/16"	5 1/8"	3"
2/10	34"	21 11/16"	6 1/8"	3"
2/8	32"	21 11/16"	5 1/8"	3"
2/6	30"	19 11/16"	5 1/8"	3"
2/4	28"	17 11/16"	5 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	11 15/16"	4"	3"
1/6	18"	11 15/16"	3"	1 5/8"
1/4	16"	7"	4 1/2"	3"
1/3	15"	7"	4"	3"
1/2	14"	7"	3 1/2"	2 1/8"
1/0	12"	7"	2 1/2"	1 3/8"

CARRARA® SMOOTH BIFOLD - 6/8, 7/0 & 8/0







Section A-A
INP Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 1/8"	11 15/16"	3 9/16"
2/6	29 13/16"	4 1/8"	8 15/16"	3 9/16"
2/0	23 13/16"	4 1/8"	5 15/16"	3 9/16"
1/10	21 13/16"	3 1/8"	5 15/16"	3 9/16"

COLONIST® SMOOTH - 6/8, 7/0 & 8/0







** Door Design as Shown.
Dimensions Typical.



Section A-A
Cove & Bead Sticking



8/0 Lock Block Detail




6/8 & 7/0 Lock Block Detail


All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.
**Door widths have a single row of panels as shown in detail.

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 3/16"	3"
2/10	34"	9 15/16"	5 3/16"	3"
2/8	32"	9 15/16"	4 3/16"	3"
2/6	30"	8 15/16"	4 3/16"	3"
2/4	28"	7 15/16"	4 3/16"	3"
2/2	26"	5 15/16"	5 3/16"	3"
2/0	24"	5 15/16"	4 3/16"	3"
1/10	22"	5 15/16"	3 3/16"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7 1/16"	4 1/2"	3"
1/3**	15"	7 1/16"	4"	3"
1/2**	14"	7 1/16"	3 1/2"	2 1/8"
1/0**	12"	7 1/16"	2 1/2"	1 3/8"

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 3/16"	3"
2/10	34"	9 15/16"	5 3/16"	3"
2/8	32"	9 15/16"	4 3/16"	3"
2/6	30"	8 15/16"	4 3/16"	3"
2/4	28"	7 15/16"	4 3/16"	3"
2/2	26"	5 15/16"	5 3/16"	3"
2/0	24"	5 15/16"	4 3/16"	3"
1/10	22"	5 15/16"	3 3/16"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7"	4 1/2"	3"
1/3**	15"	7"	4"	3"
1/2**	14"	7"	3 1/2"	2 1/8"
1/0**	12"	7"	2 1/2"	1 3/8"

COLONIST® SMOOTH BIFOLD - 6/8, 7/0 & 8/0







Section A-A
Cove & Bead Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 1/8"	11 15/16"	3 9/16"
2/10	33 13/16"	5 1/8"	9 15/16"	3 9/16"
2/8	31 13/16"	4 1/8"	9 15/16"	3 9/16"
2/6	29 13/16"	4 1/8"	8 15/16"	3 9/16"
2/4	27 13/16"	4 1/8"	7 15/16"	3 9/16"
2/2	25 13/16"	5 1/8"	5 15/16"	3 9/16"
2/0	23 13/16"	4 1/8"	5 15/16"	3 9/16"
1/10	21 13/16"	3 1/8"	5 15/16"	3 9/16"

COLONIST® SMOOTH COMMERCIAL - 6/8






Lock Block Detail




Section A-A
Cove & Bead Sticking


All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

COLONIST® TEXTURED - 6/8 & 8/0







** Door Design as Shown.
Dimensions Typical.



Section A-A
Cove & Bead Sticking



8/0 Lock Block Detail




6/8 Lock Block Detail


Dimension Table				
Door Width	A	B	C	D
3/0	36"	11 15/16"	4 1/8"	3"
2/10	34"	9 15/16"	5 1/8"	3"
2/8	32"	9 15/16"	4 1/8"	3"
2/6	30"	8 15/16"	4 1/8"	3"
2/4	28"	7 15/16"	4 1/8"	3"
2/2	26"	5 15/16"	5 1/8"	3"
2/0	24"	5 15/16"	4 1/8"	3"
1/10	22"	5 15/16"	3 1/8"	2 1/8"
1/8**	20"	11 15/16"	4"	3"
1/6**	18"	11 15/16"	3"	1 5/8"
1/4**	16"	7"	4 1/2"	3"
1/3**	15"	7"	4"	3"
1/2**	14"	7"	3 1/2"	2 1/8"
1/0**	12"	7"	2 1/2"	1 3/8"

Not available in 8/0 height.

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.
**Door widths have a single row of panels as shown in detail.

COLONIST® TEXTURED BIFOLD - 6/8 & 8/0







Section A-A
Cove & Bead Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 1/8"	11 15/16"	3 5/8"
2/10	33 13/16"	5 1/8"	9 15/16"	3 5/8"
2/8	31 13/16"	4 1/8"	9 15/16"	3 5/8"
2/6	29 13/16"	4 1/8"	8 15/16"	3 5/8"
2/4	27 13/16"	4 1/8"	7 15/16"	3 5/8"
2/2	25 13/16"	5 1/8"	5 15/16"	3 5/8"
2/0	23 13/16"	4 1/8"	5 15/16"	3 5/8"
1/10	21 13/16"	3 1/8"	5 15/16"	3 5/8"

CONMORE® SMOOTH - 6/8





Lock Block Detail





Section A-A
Stepped Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 11/16"	5 1/8"	3"
2/10	34"	23 11/16"	5 1/8"	3"
2/8	32"	23 11/16"	4 1/8"	3"
2/6	30"	21 11/16"	4 1/8"	3"
2/4	28"	19 11/16"	4 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	9 11/16"	5 1/8"	3"
1/6	18"	9 11/16"	4 1/8"	3"
1/4	16"	9 11/16"	3 1/8"	2 1/8"
1/3	15"	9 11/16"	2 5/8"	1 5/8"
1/2	14"	9 1/8"	2 7/16"	1 5/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

CONMORE® SMOOTH BIFOLD - 6/8







Section A-A
Stepped Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 3/8"	9 1/16"	4 13/16"
2/10	33 13/16"	5 3/8"	9 1/16"	4 13/16"
2/8	31 13/16"	4 3/8"	9 1/16"	4 13/16"
2/6	29 13/16"	3 3/8"	9 1/16"	4 13/16"
2/4	27 13/16"	2 3/8"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"

CONMORE® SMOOTH - 8/0





Lock Block Detail





Section A-A
Stepped Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 11/16"	5 1/8"	3"
2/10	34"	23 11/16"	5 1/8"	3"
2/8	32"	23 11/16"	4 1/8"	3"
2/6	30"	21 11/16"	4 1/8"	3"
2/4	28"	19 11/16"	4 1/8"	3"
2/2	26"	15 11/16"	5 1/8"	3"
2/0	24"	15 11/16"	4 1/8"	3"
1/10	22"	15 11/16"	3 1/8"	2 1/8"
1/8	20"	9 11/16"	5 1/8"	3"
1/6	18"	9 11/16"	4 1/8"	3"
1/4	16"	9 11/16"	3 1/8"	2 1/8"
1/3	15"	9 11/16"	2 5/8"	1 5/8"
1/2	14"	9 1/8"	2 7/16"	1 5/8"
1/0	12"	6 11/16"	2 5/8"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

CONMORE® SMOOTH BIFOLD - 8/0







Section A-A
Stepped Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 3/8"	9 1/16"	4 13/16"
2/10	33 13/16"	5 3/8"	9 1/16"	4 13/16"
2/8	31 13/16"	4 3/8"	9 1/16"	4 13/16"
2/6	29 13/16"	3 3/8"	9 1/16"	4 13/16"
2/4	27 13/16"	2 3/8"	9 1/16"	4 13/16"
2/0	23 13/16"	3 5/16"	6 3/4"	3 5/8"
1/10	21 13/16"	2 5/16"	6 3/4"	3 5/8"

CRAFTSMAN III™ SMOOTH - ADA 6/8 & 6/8






** Door Design as Shown.
Dimensions Typical.



Section A-A
Craftsman Sticking




Lock Block
Detail


ADA option only available in 3/0 and 2/10 door widths. A minimum door clear width opening of 32" is required for ADA compliance.

Dimension Table					
Door Width	A	B	C	D	E
ADA 3/0	36"	10"	5 3/4"	3"	24 1/2"
3/0	36"	10 1/4"	5 1/2"	3"	25"
ADA 2/10	34"	10"	4 3/4"	3"	24 1/2"
2/10	34"	10 1/4"	4 1/2"	3"	25"
2/8	32"	8 1/4"	5 1/2"	3"	21"
2/6	30"	8 1/4"	4 1/2"	3"	21"
2/4	28"	6 1/4"	5 1/2"	3"	17"
2/2	26"	6 1/4"	4 1/2"	3"	17"
2/0	24"	5 1/4"	4 1/2"	3"	15"
1/10**	22"	10"	6"	3"	10"
1/8**	20"	10"	5"	3"	10"
1/6**	18"	10"	4"	3"	10"
1/4**	16"	8 1/4"	3 7/8"	2 11/16"	8 1/4"
1/3**	15"	8 1/4"	3 3/8"	2 1/8"	8 1/4"
1/2**	14"	6"	4"	3"	6"
1/0**	12"	4"	4"	3"	4"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.
**Door widths have a single row of panels as shown in detail.

CRAFTSMAN III™ SMOOTH BIFOLD - 6/8







Section A-A
Craftsman Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 3/4"	8 1/4"	9 13/16"
2/10	33 13/16"	3 3/4"	8 1/4"	9 13/16"
2/8	31 13/16"	2 3/4"	8 1/4"	9 13/16"
2/6	29 13/16"	4 3/8"	6"	9 1/16"
2/4	27 13/16"	3 3/8"	6"	9 1/16"
2/2	25 13/16"	2 3/8"	6"	9 1/16"
2/0	23 13/16"	3 7/8"	4"	8 1/16"
1/10	21 13/16"	2 7/8"	4"	8 1/16"

MADISON® SMOOTH - ADA 6/8, 6/8, 7/0 & 8/0





Lock Block Detail



Section A-A
Craftsman Sticking


ADA option only available in 3/0 and 2/10 door widths. A minimum door clear width opening of 32" is required for ADA compliance.


8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	7 13/16"	5 1/16"	3"
1/4	16"	7 13/16"	4 1/16"	3"
1/3	15"	7 13/16"	3 9/16"	2 1/8"
1/2	14"	7 13/16"	3 1/16"	2 1/8"
1/0	12"	7 13/16"	2 1/16"	1 1/8"

ADA 6/8-6/8-7/0 Dimension Table				
Door Width	A	B	C	D
ADA 3/0	36"	24 1/2"	5 3/4"	3"
3/0	36"	26 1/2"	4 3/4"	3"
ADA 2/10	34"	24 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	7 13/16"	5 1/16"	3"
1/4	16"	7 13/16"	4 1/16"	3"
1/3	15"	7 13/16"	3 9/16"	2 1/8"
1/2	14"	5 3/8"	4 5/16"	3"
1/0	12"	5 3/8"	3 5/16"	2 1/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

MADISON® SMOOTH BIFOLD - 6/8, 7/0 & 8/0







Section A-A
Craftsman Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 15/16"	7 13/16"	10 5/16"
2/10	33 13/16"	3 15/16"	7 13/16"	10 5/16"
2/8	31 13/16"	4"	7 13/16"	8 1/8"
2/6	29 13/16"	3 1/2"	7 13/16"	7 1/8"
2/4	27 13/16"	3"	7 13/16"	6 1/8"
2/2	25 13/16"	2 1/2"	7 13/16"	5 1/8"
2/0	23 13/16"	2"	7 13/16"	4 1/8"
1/10	21 13/16"	1 1/2"	7 13/16"	3 1/8"


6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 15/16"	7 13/16"	10 5/16"
2/10	33 13/16"	3 15/16"	7 13/16"	10 5/16"
2/8	31 13/16"	2 15/16"	7 13/16"	10 5/16"
2/6	29 13/16"	4 5/8"	5 3/8"	9 3/4"
2/4	27 13/16"	3 5/8"	5 3/8"	9 3/4"
2/2	25 13/16"	2 5/8"	5 3/8"	9 3/4"
2/0	23 13/16"	3 3/4"	4 1/4"	7 7/8"
1/10	21 13/16"	2 3/4"	4 1/4"	7 7/8"

MONROE® SMOOTH - 6/8, 7/0 & 8/0





Lock Block Detail




Section A-A
Craftsman Sticking


8/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	9 1/4"	2 7/8"	2 5/8"
1/2	14"	9 1/4"	2 3/8"	1 3/8"
1/0	12"	9 1/4"	1 3/8"	N/A

6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	36"	26 1/2"	4 3/4"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	15 1/2"	5 1/4"	3"
2/0	24"	15 1/2"	4 1/4"	3"
1/10	22"	11 1/2"	5 1/4"	3"
1/8	20"	11 1/2"	4 1/4"	3"
1/6	18"	9 1/4"	4 3/8"	3"
1/4	16"	9 1/4"	3 3/8"	2 1/8"
1/3	15"	7 1/2"	3 3/4"	2 11/16"
1/2	14"	7 1/2"	3 1/4"	2 1/8"
1/0	12"	6"	3"	1 5/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

MONROE® SMOOTH BIFOLD - 6/8, 7/0 & 8/0







Section A-A
Craftsman Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	3 1/4"	9 1/4"	4 13/16"
2/4	27 13/16"	2 1/4"	9 1/4"	4 13/16"
2/2	25 13/16"	1 13/16"	9 1/4"	3 11/16"
2/0	23 13/16"	1 5/16"	9 1/4"	2 11/16"


6/8-7/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	6 1/4"	9 1/4"	4 13/16"
2/10	33 13/16"	5 1/4"	9 1/4"	4 13/16"
2/8	31 13/16"	4 1/4"	9 1/4"	4 13/16"
2/6	29 13/16"	5 1/4"	7 1/2"	4 5/16"
2/4	27 13/16"	4 1/4"	7 1/2"	4 5/16"
2/2	25 13/16"	3 1/4"	7 1/2"	4 5/16"
2/0	23 13/16"	4 1/4"	6"	3 5/16"
1/10	21 13/16"	3 1/4"	6"	3 5/16"

ROCKPORT™ SMOOTH - 6/8





Lock Block Detail





Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 3/4"	5 1/8"	3"
2/10	34"	25 3/4"	4 1/8"	3"
2/8	32"	23 3/4"	4 1/8"	3"
2/6	30"	21 3/4"	4 1/8"	3"
2/4	28"	19 3/4"	4 1/8"	3"
2/2	26"	19 3/4"	3 1/8"	3"
2/0	24"	15 3/4"	4 1/8"	3"
1/10	22"	15 3/4"	3 1/8"	3"
1/8	20"	10 1/4"	4 7/8"	2 1/8"
1/6	18"	10 1/4"	3 7/8"	2 11/16"
1/4	16"	8 7/8"	3 9/16"	2 1/8"
1/3	15"	8 7/8"	3 1/16"	2 1/8"
1/2	14"	8 7/8"	2 9/16"	1 5/8"
1/0	12"	5 7/8"	3 1/16"	2 1/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

ROCKPORT™ SMOOTH BIFOLD - 6/8







Section A-A
Cove & Bead Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 3/16"	11 7/8"	3 11/16"
2/10	33 13/16"	3 3/16"	11 7/8"	3 11/16"
2/8	31 13/16"	2 3/16"	11 7/8"	3 11/16"
2/6	29 13/16"	4 3/16"	8 7/8"	3 11/16"
2/4	27 13/16"	3 3/16"	8 7/8"	3 11/16"
2/2	25 13/16"	2 3/16"	8 7/8"	3 11/16"
2/0	23 13/16"	4 3/16"	5 7/8"	3 11/16"
1/10	21 13/16"	3 3/16"	5 7/8"	3 11/16"

ROCKPORT™ SMOOTH - 8/0





Lock Block Detail





Section A-A
Cove & Bead Sticking

Dimension Table				
Door Width	A	B	C	D
3/0	36"	25 3/4"	5 1/8"	3"
2/10	34"	22 1/2"	5 3/4"	3"
2/8	32"	22 1/2"	4 3/4"	3"
2/6	30"	20 1/2"	4 3/4"	3"
2/4	28"	18 1/2"	4 3/4"	3"
2/2	26"	14 1/2"	5 3/4"	3"
2/0	24"	14 1/2"	4 3/4"	3"
1/10	22"	14 1/2"	3 3/4"	2 11/16"
1/8	20"	8 1/2"	5 3/4"	3"
1/6	18"	8 1/2"	4 3/4"	3"
1/4	16"	8 1/2"	3 3/4"	2 11/16"
1/3	15"	8 1/2"	3 1/4"	2 1/8"
1/2	14"	8 1/2"	2 3/4"	1 5/8"
1/0	12"	8 1/2"	1 3/4"	N/A

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

ROCKPORT™ SMOOTH BIFOLD - 8/0







Section A-A
Cove & Bead Sticking


Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	4 11/16"	8 1/2"	9 7/16"
2/10	33 13/16"	4 3/16"	8 1/2"	8 7/16"
2/8	31 13/16"	3 11/16"	8 1/2"	7 7/16"
2/6	29 13/16"	3 3/16"	8 1/2"	6 7/16"
2/4	27 13/16"	2 11/16"	8 1/2"	5 7/16"
2/2	25 13/16"	2 3/16"	8 1/2"	4 7/16"
2/0	23 13/16"	1 11/16"	8 1/2"	3 7/16"
1/10	21 13/16"	1 3/16"	8 1/2"	2 7/16"

SANTA FE™ SMOOTH - 6/8 & 8/0






Section A-A
Ovolo Sticking



8/0 Lock Block Detail





6/8 Lock Block Detail

Dimension Table				
Door Width	A	B	C	D
3/0	36"	24"	6"	3"
2/10	34"	24"	5"	3"
2/8	32"	23"	4 1/2"	3"
2/6	30"	21"	4 1/2"	3"
2/4	28"	18"	5"	3"
2/2	26"	18"	4"	3"
2/0	24"	14"	5"	3"
1/10	22"	14"	4"	3"
1/8	20"	10"	5"	3"
1/6	18"	10"	4"	3"
1/4	16"	7"	4 1/2"	3"
1/3	15"	7"	4"	3"
1/2	14"	7"	3 1/2"	2 1/8"
1/0	12"	7"	2 1/2"	1 3/8"

All Molded Collection doors available in 1 3/8" and 1 3/4" panel thickness.
*Number & size of lock blocks may vary by model and customer selection.
Solid core doors do not have separate lock blocks.

SANTA FE™ SMOOTH BIFOLD - 6/8 & 8/0





Section A-A
Ovolo Sticking

8/0 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	3 15/16"	10"	7 15/16"
2/10	33 13/16"	3 7/16"	10"	6 15/16"
2/8	31 13/16"	4 7/16"	7"	8 15/16"
2/6	29 13/16"	3 15/16"	7"	7 15/16"
2/4	27 13/16"	3 7/16"	7"	6 15/16"
2/2	25 13/16"	2 15/16"	7"	5 15/16"
2/0	23 13/16"	2 7/16"	7"	4 15/16"
1/10	21 13/16"	1 15/16"	7"	3 15/16"

6/8 Dimension Table				
Door Width	A	B	C	D
3/0	35 13/16"	5 5/8"	10"	4 9/16"
2/10	33 13/16"	4 5/8"	10"	4 9/16"
2/8	31 13/16"	3 5/8"	10"	4 9/16"
2/6	29 13/16"	4 5/8"	8"	4 9/16"
2/4	27 13/16"	3 5/8"	8"	4 9/16"
2/2	25 13/16"	2 5/8"	8"	4 9/16"
2/0	23 13/16"	4 1/8"	6"	3 9/16"
1/10	21 13/16"	3 1/8"	6"	3 9/16"