



## Aurora® & IWP Wood Contemporary Collection



Multiple Species and Finishes | Metallic Accents | Floating Panels | Glass Creations

# Same attention to detail now available in IWP® Aurora® Custom Fiberglass

Our IWP Custom Contemporary line has been expanded to include the stunning beauty and durability combination found only in IWP® Aurora® Custom Fiberglass. Nearly indistinguishable from solid wood, these doors are unique to the industry and deliver the natural look and feel of real wood without the maintenance.

IWP® Custom Contemporary exterior and interior doors are an architecturally authentic choice for homes with modern architecture, while the visual warmth of these designs makes many of them appropriate for traditional homes as well.



## TABLE OF CONTENTS

Multiple Species and Finishes	4
Metallic Accents	7
Floating Panels	11
Glass Creations	15
Intriguing Details	17
Unique Choices	18
Appropriate Exposure for Exterior Doors	19
About JELD-WEN	21
Warranty	22

Contemporary  
architecture celebrates  
pure design—the union  
of form and function.



**W20H** | Genuine Mahogany Door,  
Chappo / Wheat Finish  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*

# Beyond fine materials and exacting artistry, what ultimately sets our doors apart is their uniqueness

The door designs in this book are merely examples of what's possible. The ability to mix and match options, such as species, finish colors, metallic accents, floating panels and glass types allows you to create a one-of-a-kind door of your own. Choose one of the pictured door designs and select different species, add metallic accents or even glass – the choice is yours.







# Metallic Accents



**W02M** | Alder Door, Dark Cherry Finish,  
Stainless Steel Metallic Accents  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*

Our doors prove contemporary doesn't have to feel cold. Metallic accents are striking and intriguing. In addition, designs incorporating two or more species add visual interest and lend overall warmth to homes.







**W30M** | Genuine Mahogany/African Mahogany Door, Chappo/Gunstock Finish, Stainless Steel Metallic Accents  
*Design also available in IWP® Aurora® Custom Fiberglass Mahogany*



**W01M** | Alder Door, Ebony Finish, Stainless Steel Metallic Accents  
*Design also available in IWP® Aurora® Custom Fiberglass Mahogany*



**W52M** | Alder Door, Dark Cherry Finish, Copper Metallic Accents  
*Design also available in IWP® Aurora® Custom Fiberglass Mahogany*



**W52M** | Alder Door, Ebony Finish, Stainless Steel Metallic Accents  
*Design also available in IWP® Aurora® Custom Fiberglass Mahogany*



# Floating Panels



**W24M** | Walnut Door, Clear Finish,  
Stainless Steel Metal Accents,  
Frosted Glass  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*



**W21M** | Cherry Door, Clear Finish,  
Stainless Steel Metal Accent  
Clear Glass  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*


Door designs with glass inserts emphasize more than modern architecture's fondness for natural light and openness. They also provide character. For example, many of our designs with glass inserts include metal and wood accents for visual texture. Some of these elements appear to float on the glass, giving the doors a sense of lightness.



**W03H** | Walnut/Cherry Door,  
Chappo/Clear Finish  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*

Our contemporary craftsmanship is your canvas, and our selection of door designs, species, glass types and metallic accents is your palette. This is your chance to enhance your home's architecture or to give it a fresh look. Inspiration awaits.










**W41H** | Walnut/Genuine Mahogany/  
Maple Door, Chappo Finish,  
Seedy Baroque Glass (also  
available without glass as W42H)  
*Design also available in IWP®  
Aurora® Custom Fiberglass  
Mahogany and Douglas Fir*



**W04H** | African Mahogany Door,  
Chappo/Gunstock Finish,  
Gotta Glass  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*



**W15H** | Genuine Mahogany Door,  
Gunstock Finish, Reed Glass  
(Also available in 7-lite, W17H  
or 10-lite, W10H)  
*Design also available in IWP® Aurora®  
Custom Fiberglass Mahogany*



**802** | Cherry Door, Ebony Finish,  
Gotta Glass



**W54H** | Alder Door, Wheat Finish,  
Ripple Glass



# Intriguing Details

Like all IWP® Custom doors, our Contemporary designs can be enhanced with options for a customized look. A few of these options are shown here. To learn more, visit [jeld-wen.com](http://jeld-wen.com)



## SPECIES

Our variety of species and rich finishes allows you to select a combination that reflects your personal tastes and compliments your home's interior design.

## METALLIC ACCENTS

For a striking look, select a metallic accent for our door designs. We offer sleek and modern stainless steel or copper for a warmer, more classic appearance.



## GLASS

We offer a wide array of glass types, which will bring a customized look to our door designs. This selection includes energy efficient options for our exterior doors.

## MULTIPLE FINISHES

Add a secondary finish to a door design with this option.



JELD-WEN® IWP® Custom Fiberglass doors will consistently stand up to any climate – hot or cold, wet or dry – yet they look virtually indistinguishable from solid wood and come with a lifetime limited warranty and a 5-Year Limited Warranty on finish. This makes them the most unique fiberglass doors available today.

In fact, they're the world's finest.


These doors feel and look like solid wood (even down to the grain detail). To enhance them, we offer luxurious wood grain finishes and paint colors, sparkling glass options, and charming hardware options to support any design preference and architectural style. The combination of options you select allows you to enjoy a customized look. Whatever you choose, the resulting masterpiece will endure year after year.

# Unique Choices

Choose a door design from either the IWP® Custom Wood or IWP Aurora® Custom Fiberglass line and customize it with multiple species, metallic accents and decorative glass. For the complete species, color and glass offering, please visit [jeld-wen.com](http://jeld-wen.com)


**A** IWP Aurora Custom Fiberglass

**W** IWP Custom Wood




**W** W01M

**A** A01M




**W** W02M

**A** A02M




**W** W03H

**A** A03H




**W** W04H


**A** A04H



**W** W10H




**W** W13V




**W** W15H

**A** A15H




**W** W17H

**A** A17H




**W** W20H

**A** A20H




**W** W20V

**A** A20V




**W** W21M

**A** A21M




**W** W24M

**A** A24M




**W** W30M

**A** A30M



**W** W31M




**W** W41H

**A** A41H




**W** W42H

**A** A42H




**W** W43V




**W** W50V

**A** A50V




**W** W51M




**W** W52M

**A** A52M



**W** W54H



**W** 802

**ROCKY MOUNTAIN®**  
H A R D W A R E

The hardware pictured in this brochure was skillfully crafted by Rocky Mountain Hardware Company.

APPROPRIATE EXPOSURE

The protection of your door is a major factor in its maintenance requirements and longevity. To adequately protect your door and extend its life, several factors must be considered. Door type, climate, exposure, color choice and the use of a storm door all have an effect on the durability of a door. Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. The following are some guidelines for designing the best combination of door material, overhang protection, and other factors affecting the long-term performance of the door.



OVERHANG

An overhang as shown is required for wood doors, and recommended for steel and fiberglass doors. Overhangs protect the door’s finish, minimize the need for refinishing and help keep the weather out of the home. An example formula for determining the correct overhang (in many climates) is:  $D \text{ (Depth)} = 1/2H \text{ (Height)}$ . For example, if the measurement from the base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. This formula can change based on the climate and the direction the door faces. The following section will explain how to modify the formula based on these factors.

CLIMATE & EXPOSURE

Also consider the variables specific to your region. The climate and the direction a door faces play a key role in determining

a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day.

Please consult the following chart and adjust the depth of the overhang as needed.

Climate	Direction the door faces			
	North	South	East	West
Desert	$D = 1/2H$	$D = 2H$	$D = 1/2H$	$D = 2H$
Ocean	$D = 1/2H$	$D = H$	$D = 1/2H$	$D = H$
Wet	$D = H$	$D = H$	$D = H$	$D = H$
Mild	$D = 1/2H$	$D = H$	$D = 1/2H$	$D = H$

Without adequate overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors without appropriate protection may also experience performance problems such as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels, and glass.

With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Behold a collection  
crafted to accentuate  
your individuality.



Custom Wood  
Windows



Custom Wood  
Patio doors



IWP® Custom Wood  
Exterior doors



IWP® Aurora®  
Exterior doors



IWP® Custom Wood  
Interior doors

To complete our Custom product line, we also offer Custom windows and clad systems that are a perfect match to our Custom doors. For the full offering of JELD-WEN® Custom windows and doors visit us online at [jeld-wen.com](http://jeld-wen.com) or see your local dealer.





# About JELD-WEN®



Since 1960, when JELD-WEN began with one Oregon millwork plant, we've been dedicated to crafting windows and doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable, energy efficient, and worry-free. Our extensive product offering is available globally through multiple distribution channels, including retail home centers, wholesale distributors and building products dealers.

We strive to conduct our business with the highest ethical standards. That includes providing our customers with superior products, establishing solid relationships in the communities where we live and work, and conserving valuable resources.

JELD-WEN's goal is to be the industry leader in environmentally responsible practices and to conduct our business in a manner that demonstrates environmental stewardship. At JELD-WEN, we believe that a healthy environment and healthy business practices go hand in hand.



# JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

## OUR WARRANTY TO YOU...

JELD-WEN® Products<sup>1</sup> are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **May 1, 2012** for use in the United States and Canada. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to [www.jeld-wen.com](http://www.jeld-wen.com) or [www.jeld-wen.ca](http://www.jeld-wen.ca).

### What This Warranty COVERS

We warrant to the original owner<sup>2</sup> that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor<sup>3</sup> (where deemed necessary by us) to repair or replace any component is provided for **one (1)** year from the date of purchase.

### Owner-Occupied Single-Family Residence Limited Warranty

**Door Slabs:** Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
FiberLast® Engineered Composite Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior Doors	Five (5) years

**Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All other Doors	1 year	\$100 per opening

**Door Frames:** We warrant our door frames for **one (1)** year from the date of purchase.

**AuraLast® Protection for Door Slabs and Frames:** Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for **twenty (20)** years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage **for as long as the original consumer owns the home** in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

**Severe Weather® Glass:** We warrant each Severe Weather glass unit for **ten (10)** years.

**Retractable Screens:** We warrant retractable roll screens for **five (5)** years.

**Spontaneous Glass Breakage:** We warrant sealed glass units installed in exterior doors (excluding laminated glass, and special glazings) for spontaneous breakage for **one (1)** year (including free replacement glass and skilled labor<sup>3</sup> necessary

to replace the glass for one (1) year. Spontaneous breakage occurs when the glass develops a crack without sign of impact.

### Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

**Fiberglass, FiberLast, Steel, Wood and Interior Door Slabs:** We warrant our door slabs for **five (5)** years from the date of initial purchase.

**All Other Products, Components, Prefinishes, and Options as Listed Above:** Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

### Transferability

This warranty is not transferable.

### How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

#### In the United States:

Mail: JELD-WEN Customer Care  
Attn: Door Warranty Claims  
P.O. Box 1329, Klamath Falls, OR 97601  
Phone: 800-JELD-WEN (800-535-3936)  
Fax: 800-436-5954  
Email: [CustomerServiceAgents@jeld-wen.com](mailto:CustomerServiceAgents@jeld-wen.com)  
Web: [www.jeld-wen.com/contact-us](http://www.jeld-wen.com/contact-us)

#### In Eastern Canada:

Mail: JELD-WEN Service Department  
90, rue Industrielle  
Saint-Appollinaire, Quebec, Canada G0S 2E0  
Phone: 800-463-1930  
Fax: 888-998-1599

#### In Western Canada:

Mail: JELD-WEN Service Department  
550 Munroe Avenue  
Winnipeg, Manitoba, Canada R2K 4H3  
Phone: 888-945-5627  
204-668-8230  
Fax: 204-663-1072  
Email: [wpgservice@jeld-wen.com](mailto:wpgservice@jeld-wen.com)

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

### What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is accepted, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

**Continued on next page**

### What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at [www.jeld-wen.com/resources](http://www.jeld-wen.com/resources)); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at [www.jeld-wen.com/resources](http://www.jeld-wen.com/resources); for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware, accessories or inserts that are not provided by us.

- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

#### Important Legal Information --

##### Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

<sup>1</sup> "JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

<sup>2</sup> This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory pre-finish.

<sup>3</sup> "Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2016, JELD-WEN, inc. | JELD-WEN, Aurora, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other marks are the property of their respective owners.

The JELD-WEN® website is your ultimate resource for learning about our windows and doors. It has all the product information and design advice you need. Visit us at [jeld-wen.com](http://jeld-wen.com) today.



JELD-WEN is proud to support  
a better way to build